

产品系列数据表

## ORIGINAL LINE

原厂配件



### 具有高性价比的原厂配件

欧司朗原厂配套系列卤素灯泡有令人赞叹的性能，符合标准要求，可靠且高性价比。无论是作为标准配件还是原厂配套，它已经被搭载于知名整车制造商的数百万辆新车。原厂配套系列用可靠的原厂配件质量和广泛产品范围，为您证明其物有所值。



## 产品系列数据表

### 技术参数

产品描述	电参数				光度数据
	功率输入	标称电压	标称功率	测试电压	光通量
ORIGINAL LINE H1	68 W <sup>1)</sup>	12 V	55 W	13.2 V	1550 lm
ORIGINAL LINE H2	68 W <sup>1)</sup>	12 V	55 W	13.2 V	1800 lm
ORIGINAL LINE H3	68 W <sup>1)</sup>	12 V	55 W	13.2 V	1450 lm
ORIGINAL LINE H7	58 W <sup>1)</sup>	12 V	55 W	13.2 V	1500 lm
ORIGINAL LINE H8	43 W <sup>1)</sup>	12 V	35 W	13.2 V	800 lm
ORIGINAL LINE H8B	43 W <sup>1)</sup>	12 V	35 W	13.2 V	800 lm
ORIGINAL LINE H9	73 W <sup>1)</sup>	12 V	65 W	13.2 V	2100 lm
ORIGINAL LINE H9B	73 W <sup>1)</sup>	12 V	65 W	13.2 V	2100 lm
ORIGINAL LINE H11	62 W <sup>1)</sup>	12 V	55 W	13.2 V	1350 lm
ORIGINAL LINE H11B	62 W <sup>1)</sup>	12 V	55 W	13.2 V	1350 lm
ORIGINAL LINE H13	75 / 68 W <sup>1)</sup>	12 V	60/55 W	13.2 V	1500/1000 lm
ORIGINAL LINE H15	19 / 64 W <sup>1)</sup>	12 V	15/55 W	13.2 V	260/1350 lm
ORIGINAL LINE H16	26 W <sup>1)</sup>	12 V	19 W	13.2 V	500 lm
ORIGINAL LINE H27W/1	31 W <sup>1)</sup>	12 V	27 W	13.5 V	450 lm
ORIGINAL LINE H27W/2	31 W <sup>1)</sup>	12 V	27 W	13.5 V	450 lm
ORIGINAL LINE HB3	73 W <sup>1)</sup>	12 V	60 W	13.2 V	1700 lm
ORIGINAL LINE HB3A	73 W <sup>1)</sup>	12 V	60 W	13.2 V	1860 lm
ORIGINAL LINE HB4	62 W <sup>1)</sup>	12 V	51 W	13.2 V	1000 lm
ORIGINAL LINE HB1	70 / 50 W <sup>1)</sup>	12.8 V	65/45 W	12.8 V	700 lm
ORIGINAL LINE HB5	70 / 60 W <sup>1)</sup>	12.8 V	65/55 W	12.8 V	1000 lm
ORIGINAL LINE R2	57 / 51 W <sup>1)</sup>	12 V	45/40 W	13.2 V	1030/675 lm
ORIGINAL LINE HIR1	70 W <sup>1)</sup>	13.2 V	65 W	13.2 V	2500 lm
ORIGINAL LINE HIR2	60 W <sup>1)</sup>	12 V	55 W	13.2 V	1875 lm
ORIGINAL LINE HB4	62 W <sup>1)</sup>	12 V	51 W	13.2 V	1095 lm
ORIGINAL LINE H10	50 W <sup>1)</sup>	12 V	42 W	13.2 V	850 lm
ORIGINAL LINE HB4	62 W <sup>1)</sup>	12 V	51 W	13.2 V	1095 lm
ORIGINAL LINE H18	69 W <sup>1)</sup>	12 V	55 W	13.2 V	1700 lm
ORIGINAL LINE H19	72 / 68 W <sup>1)</sup>	12 V	60/55 W	13.2 V	1750/1200 lm
-	68 W <sup>1)</sup>	12 V	55 W	13.2 V	1450 lm
-	75 / 68 W <sup>1)</sup>	12 V		13.2 V	1650/1000 lm
-	73 W <sup>1)</sup>	12 V	60 W	13.2 V	1860 lm

## 产品系列数据表

产品描述	光通量容许偏差	Physical Attributes & Dimensions 直径	寿命		认证与标准 ECE 分类	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
			Lifespan B3	使用寿命 Tc		Primary Article Identifier
ORIGINAL LINE H1	±15 %	8.5 mm	400 hr	650 hr	H1	4008321022240   4062172285056   4050300892474   4058075021891   4062172395380   4050300001487   4008321380593   4062172341400   4008321675460   4008321302748   4062172216470   4050300925264   4052899412026
ORIGINAL LINE H2	±15 %	9 mm	90 hr	250 hr	H2	4050300016559
ORIGINAL LINE H3	±15 %	11.5 mm	400 hr	650 hr	H3	4062172395540   4062172027311   4062172113748   4058075021914   4052899387195   4062172285872   4062172131896   4008321014399   4050300001494   4050300271729   4062172117012   4062172163880   4050300925349   4052899412040   4008321006288   4062172343763   4050300839578   4050300211190   4052899563247
ORIGINAL LINE H7	±10 %	12.0 mm	330 hr	550 hr	H7	4052899593589   4050300722726   4052899411821   4050300332185   4050300459363   4052899408173   4052899277557   4050300479903   4008321642493   4062172395014   4062172419963   4050300925202   4052899475908   4008321023513   4008321006226

## 产品系列数据表

产品描述	光通量容许偏差	Physical Attributes & Dimensions 直径	寿命		认证与标准 ECE 分类	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
			Lifespan B3	使用寿命 Tc		Primary Article Identifier
ORIGINAL LINE H8	±15 %	12.0 mm	400 hr	800 hr	H8	4062172051552   4050300602264   4062172395281   4050300602288   4052899364196   4062172130998   4052899411906   4008321168467   4008321514363   4008321872371   4062172057363   4062172189187   4050300498751   4008321770059   4050300642697   4052899262478
ORIGINAL LINE H8B	±15 %	12.0 mm	400 hr	800 hr	H8B	4008321065643   4008321055422
ORIGINAL LINE H9	±10 %	12.0 mm	250 hr	500 hr	H9	4050300524368   4052899449336   4052899565296   4050300642758   4050300602301   4050300602325   4052899589513   4062172051637
ORIGINAL LINE H9B	±10 %	12.0 mm	250 hr	500 hr	H9B	4008321065681   4008321055477
ORIGINAL LINE H11	±10 %	12.0 mm	350 hr	580 hr	H11	4050300524313   4052899475984   4052899263338   4062172083027   4062172395229   4008321171252   4062172182898
ORIGINAL LINE H11B	±10 %	12.0 mm	350 hr	580 hr	H11B	4008321054654
ORIGINAL LINE H13	±15 / ±15 %	16.0 mm	170 / 1290 hr <sup>2)</sup>	350 / 2590 hr <sup>2)</sup>	H13	4052899521957   4008321939401   4062172399005
ORIGINAL LINE H15	±10 / ±10 %	13.0 mm	2000 / 250 hr <sup>2)</sup>	4000 / 500 hr <sup>2)</sup>	H15	4008321242068   4008321218391   4008321242044

## 产品系列数据表

产品描述	光通量容许偏差	Physical Attributes & Dimensions 直径	寿命		认证与标准 ECE 分类	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) Primary Article Identifier
			Lifespan B3	使用寿命 Tc		
ORIGINAL LINE H16	+10 %...15 %	9.5 mm	1115 hr	2000 hr	H16	4052899589599   4062172051972   4008321626851   4008321626783   4008321626837   4052899403819   4062172421317   4052899561861
ORIGINAL LINE H27W/1	±15 %	9 mm			H27W/1	4062172376150   4008321542977   4062172376181
ORIGINAL LINE H27W/2	±15 %	10.0 mm			H27W/2	4062172376242   4008321543004   4062172376211
ORIGINAL LINE HB3	±12 %	12.0 mm	280 hr	550 hr	HB3	4008321171214   4052899408562   4062172404662   4050300137193   4008321166937   4008321021083   4062172395304   4008321021014   4008321795298
ORIGINAL LINE HB3A	±12 %	12.0 mm	280 hr	550 hr	HB3A	0046135320408   4052899982567
ORIGINAL LINE HB4	±15 %	12.0 mm	1200 hr	2590 hr	HB4	4062172231237   4008321171238   4062172395328   4008321795274   4062172404686   4050300012650
ORIGINAL LINE HB1	±10 / ±10 %	16.0 mm	150 hr	320 hr <sup>3)</sup>	HB1	4052899232013   4008321166982
ORIGINAL LINE HB5	±10 / ±10 %	16.0 mm	250 hr	500 hr <sup>3)</sup>	HB5	4050300148816
ORIGINAL LINE R2	±15 %	17.0 mm	250 / 400 hr <sup>2)</sup>	500 / 1200 hr <sup>2)</sup>	R2	4062172156387   4052899411944   4062172069700   4050300925400
ORIGINAL LINE HIR1	±15 %	11.3 mm	220 hr	300 hr	HIR1	4008321863966

## 产品系列数据表

产品描述	光通量容许偏差	Physical Attributes & Dimensions 直径	寿命		认证与标准 ECE 分类	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) Primary Article Identifier
			Lifespan B3	使用寿命 Tc		
ORIGINAL LINE HIR2	±15 %	12.1 mm	500 hr	870 hr	HIR2	4062172395342   4062172412803   4062172189156   4062172386999   4062172384186   4008321863997   4062172294720   4062172372251   4062172404501   4062172422536
ORIGINAL LINE HB4	±15 %	9.8 mm	860 hr	1720 hr	HB4	4062172189125   4062172066266   4062172431934
ORIGINAL LINE H10	±15 %	12.0 mm	860 hr	1720 hr	H10	4052899348622
ORIGINAL LINE HB4	±15 %	12.0 mm	860 hr	1720 hr	HB4A	4008321554284
ORIGINAL LINE H18	±8 %	12.0 mm	700 hr	1100 hr	H18	4052899327078   4052899479968
ORIGINAL LINE H19	±10 %	13.0 mm	300 / 800 hr	600 / 1600 hr	H19	4062172434744   4052899507869   4052899599017
-	±15 %	10.0 mm	400 hr	650 hr	H3	4062172431873   4062172130714   4008321775597   4008321773937
-	±12 / ±15 %	16.5 mm	250 / 400 hr <sup>2)</sup>	500 / 900 hr <sup>2)</sup>	H4	4008321775061   4052899287549   4062172146067   4008321773753   4062172431781   4062172130745   4052899958920
-	±12 %	9.8 mm	280 hr	550 hr	HB3	4062172066235   4062172431903   4062172189095

产品描述	Candidate List Substance 1	Declaration No. in SCIP database
ORIGINAL LINE H1	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H2	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H3	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H7	No declarable substances contained	No declarable substances contained

## 产品系列数据表

产品描述	Candidate List Substance 1	Declaration No. in SCIP database
ORIGINAL LINE H8	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H8B	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H9	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H9B	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H11	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H11B	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H13	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H15	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H16	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H27W/1	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H27W/2	No declarable substances contained	No declarable substances contained
ORIGINAL LINE HB3	No declarable substances contained	No declarable substances contained
ORIGINAL LINE HB3A	No declarable substances contained	No declarable substances contained
ORIGINAL LINE HB4	No declarable substances contained	No declarable substances contained
ORIGINAL LINE HB1	No declarable substances contained	No declarable substances contained
ORIGINAL LINE HB5	No declarable substances contained	No declarable substances contained
ORIGINAL LINE R2	No declarable substances contained	No declarable substances contained
ORIGINAL LINE HIR1	No declarable substances contained	No declarable substances contained
ORIGINAL LINE HIR2	No declarable substances contained	No declarable substances contained
ORIGINAL LINE HB4	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H10	No declarable substances contained	No declarable substances contained
ORIGINAL LINE HB4	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H18	No declarable substances contained	No declarable substances contained
ORIGINAL LINE H19	No declarable substances contained	No declarable substances contained

## 产品系列数据表

产品描述	Candidate List Substance 1	Declaration No. in SCIP database
-	No declarable substances contained	No declarable substances contained
-	No declarable substances contained	No declarable substances contained
-	No declarable substances contained	No declarable substances contained






















1) 最大

2) 灯丝1

3) B50 = 平均寿命说明:例如单灯丝灯泡 100例如双灯丝灯泡 100/300

## 产品系列数据表

### 下载数据

文件	
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates HAL
	ref_pim_amsproduct360degreeimages ORIGINAL H1 64150
	Addon Technical Information Certificate overview OSRAM Argentina
	ref_pim_amsproduct360degreeimages ORIGINAL H2 64173
	ref_pim_amsproduct360degreeimages ORIGINAL H3 64151
	ref_pim_amsproduct360degreeimages ORIGINAL H7 64210
	ref_pim_amsproduct360degreeimages ORIGINAL H8 64212
	ref_pim_amsproduct360degreeimages ORIGINAL H9 64213
	ref_pim_amsproduct360degreeimages ORIGINAL H11 64211
	ref_pim_amsproduct360degreeimages ORIGINAL H13 9008
	ref_pim_amsproduct360degreeimages ORIGINAL H15 64176
	ref_pim_amsproduct360degreeimages ORIGINAL HB3 9005
	ref_pim_amsproduct360degreeimages ORIGINAL HB3A 9005XS
	ref_pim_amsproduct360degreeimages ORIGINAL HB4 9006
	ref_pim_amsproduct360degreeimages ORIGINAL HB5 9007
	ref_pim_amsproduct360degreeimages ORIGINAL R2 64183
	ref_pim_amsproduct360degreeimages ORIGINAL HIR1 9011
	ref_pim_amsproduct360degreeimages ORIGINAL HIR2 9012
	ref_pim_amsproduct360degreeimages ORIGINAL H10 9145
	ref_pim_amsproduct360degreeimages ORIGINAL HB4A 9006XS

## 产品系列数据表



ref\_pim\_amsproduct360degreeimages  
ORIGINAL H18 64180L

### 应用建议

更多详细应用信息和图形,请参阅产品数据表。

### 免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

