

产品系列数据表

金属灯头灯泡

原厂配件



具有高性价比的原厂配件

原厂信号灯带有金属底座，如同所有欧司朗原厂产品一样，具有可靠的原厂配套质量。由于产品范围广泛，这款灯泡可用作不同应用的备用灯。

产品系列数据表

技术参数

产品描述	电参数				光度数据
	功率输入	标称电压	标称功率	测试电压	光通量
ORIGINAL - METAL BASE 2357A	28 W	12.8 V	29 W	12.8 / 14.0 V	377 lm
ORIGINAL - METAL BASE 3796	2 W	12 V	2 W	13.5 V	12.5 lm
ORIGINAL - METAL BASE 3860	5 W	12 V	5 W	13.5 V	50 lm
ORIGINAL - METAL BASE T4W	4 W	12 V	4 W	13.5 V	35 lm
ORIGINAL - METAL BASE R5W	5 W	12 V	5 W	13.5 V	50 lm
ORIGINAL - METAL BASE R10W	10 W	12 V	10 W	13.5 V	125 lm
ORIGINAL - METAL BASE P21/4W	25 / 5 W	12 V	21/4 W	13.5 / 13.5 V	440/15 lm
ORIGINAL - METAL BASE 7240	25 / 6 W	12 V	21/5 W	13.5 V	440/35 lm
ORIGINAL - METAL BASE P21W	25 W	12 V	21 W	13.5 V	460 lm
ORIGINAL - METAL BASE PY21W ¹⁾	25 W	12 V	21 W	13.5 V	280 lm
ORIGINAL - METAL BASE P21/5W	25 / 6 W	12 V	21/5 W	13.5 / 13.5 V	440/35 lm
ORIGINAL - METAL BASE H6W	7 W	12 V	6 W	13.5 V	125 lm
ORIGINAL - METAL BASE RY10W ¹⁾	10 W	12 V	10 W	13.5 V	75 lm

产品描述	光通量容许偏差	Physical Attributes & Dimensions	认证与标准	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		直径	ECE 分类	Primary Article Identifier
ORIGINAL - METAL BASE 2357A	±30 / ±30 %	27.0 mm	-	4008321101518 4062172354691
ORIGINAL - METAL BASE 3796	±25 %	9 mm	-	4050300891309 4050300887470
ORIGINAL - METAL BASE 3860	±20 %	9 mm	-	4008321095756
ORIGINAL - METAL BASE T4W	±20 %	8.8 mm	T4W	4050300992631 4052899407381 4050300838489 4062172395984 4050300647609 4062172395960
ORIGINAL - METAL BASE R5W	±20 %	16.0 mm	R5W	4050300838427 4008321186737 4050300879413 4062172415842 4008321355232 4062172396028 4052899407015 4050300925585 4062172396004

产品系列数据表

产品描述	光通量容许偏差	Physical Attributes & Dimensions		认证与标准	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		直径		ECE 分类	Primary Article Identifier
ORIGINAL - METAL BASE R10W	±20 %	19.0 mm		R10W	4052899407992 4062172420488 4052899407176 4050300925608 4062172396066 4008321163707 4062172396042 4008321186751 4050300838212 4062172415873 4008321355263
ORIGINAL - METAL BASE P21/4W	±15 / ±20 %	25.0 mm		P21/4W	4008321593009 4062172121378 4052899402119 4008321671875 4050300925547 4062172121033 4008321163974 4050300891514 4062172396226 4062172091749 4062172396202
ORIGINAL - METAL BASE 7240	±15 / ±20 %	25.0 mm		-	4062172401043 4050300838007
ORIGINAL - METAL BASE P21W	±15 %	26.5 mm		P21W	4062172285353 4008321671899 4050300838120 4052899593473 4052899402034 4062172415798 4062172048668 4062172285339 4062172396325 4052899402058 4062172396301 4062172016803 4062172188241 4052899040892 4050300925448 4062172188289 4008321618313 4008321618467 4052899581562 4008321417428 4050300609171

产品系列数据表

产品描述	光通量容许偏差	Physical Attributes & Dimensions 直径	认证与标准 ECE 分类	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) Primary Article Identifier
ORIGINAL - METAL BASE PY21W ¹⁾	±20 %	25.0 mm	PY21W	4008321652911 4062172396363 4062172051231 4062172049962 4062172396349 4052899531178 4008321536013 4008321417541 4062172188463 4008321618603 4050300891477 4062172072304 4062172188425 4062172188449 4062172200967 4050300925462 4052899137455
ORIGINAL - METAL BASE P21/5W	±15 / ±20 %	26.5 mm	P21/5W	4052899402195 4052899593497 4052899402171 4008321671837 4062172396448 4062172415774 4062172396424 4008321536037 4062172121279 4008321912565 4062172121293 4050300838069 4050300925523 4062172141376 4062172121255
ORIGINAL - METAL BASE H6W	±12 %	9 mm	H6W	4008321360274 4008321094896 4008321115300 4050300883250 4008321360151
ORIGINAL - METAL BASE RY10W ¹⁾	±20 %	16.0 mm	RY10W	4062172252553 4062172062541 4062172159692

产品描述	Candidate List Substance 1	Declaration No. in SCIP database
ORIGINAL - METAL BASE 2357A	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE 3796	No declarable substances contained	No declarable substances contained








产品系列数据表

产品描述	Candidate List Substance 1	Declaration No. in SCIP database
ORIGINAL - METAL BASE 3860	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE T4W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE R5W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE R10W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE P21/4W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE 7240	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE P21W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE PY21W ¹⁾	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE P21/5W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE H6W	No declarable substances contained	No declarable substances contained
ORIGINAL - METAL BASE RY10W ¹⁾	No declarable substances contained	No declarable substances contained

¹⁾ 琥珀色灯泡, 适用于透明指示灯

产品系列数据表

下载数据

文件	
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates AUX
	ref_pim_amsproduct360degreeimages ORIGINAL R5W 5007
	ref_pim_amsproduct360degreeimages ORIGINAL R10W 5008
	ref_pim_amsproduct360degreeimages ORIGINAL P21W 7506
	ref_pim_amsproduct360degreeimages ORIGINAL PY21W 7507
	ref_pim_amsproduct360degreeimages ORIGINAL RY10W 5009

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

