

产品系列数据表

## TRUCKSTAR PRO

Brightest OSRAM truck halogen light



**Up to 2.5 times longer lifetime**

与标准灯具相比，减少了停机时间和成本



**Up to 120% more brightness**

照射距离更远，驾驶人员可以反应更迅速，与最低法律标准相比



**非常高的抗振性**

Suitable for heavy duty applications



**The most powerful halogen and signal truck lamps from OSRAM**

Discover TRUCKSTAR PRO - the brightest halogen and signal truck lamps from OSRAM with excellent value for money. With extremely long life, up to 120% more light than standard lamps and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and up to 2.5 times longer lifetime compared to standard lamps, the lamps improve your safety while driving on the road.

## 产品系列数据表

### 技术参数

产品描述	电参数				光度数据
	功率输入	标称电压	标称功率	测试电压	光通量
TRUCKSTAR PRO H1	84 W <sup>1)</sup>	24 V	70 W	28.0 V	1900 lm
TRUCKSTAR PRO H3	84 W <sup>1)</sup>	24 V	55 W	28.0 V	1750 lm
TRUCKSTAR PRO H4	85 / 80 W <sup>1)</sup>	24 V	75/70 W	28.0 V	1900/1200 lm
TRUCKSTAR PRO H7	75 W <sup>1)</sup>	24 V	70 W	28.0 V	1750 lm

产品描述	光通量容许偏差	Physical Attributes & Dimensions			寿命
		灯头 (标准名称)	长度	直径	Lifespan B3
TRUCKSTAR PRO H1	±15 %	P14.5s	62.5 mm	9 mm	600 hr
TRUCKSTAR PRO H3	±15 %	PK22s	42.0 mm	11.0 mm	600 hr
TRUCKSTAR PRO H4	±15 / ±15 %	P43t	82.0 mm	16.5 mm	140 / 450 hr <sup>2)</sup>
TRUCKSTAR PRO H7	±10 %	PX26d	59.0 mm	12.0 mm	500 hr

产品描述	使用寿命 Tc	认证与标准 ECE 分类	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
			Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
TRUCKSTAR PRO H1	1200 hr	H1	4062172216531   4008321784209   4052899413832   4052899413931   4062172216555   4062172159432   4008321851765   4062172174657   4062172285117   4062172232319   4052899529229   4008321784179   4052899414037   4062172218771	No declarable substances contained	No declarable substances contained
TRUCKSTAR PRO H3	1200 hr	H3	4052899413856   4052899413955   4052899481893   4058075021952   4062172159401   4008321784247   4062172027410   4008321851901   4062172285933   4052899481954   4052899481916   4052899414051   4008321784261	No declarable substances contained	No declarable substances contained

## 产品系列数据表







产品描述	使用寿命 Tc	认证与标准	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
		ECE 分类	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
TRUCKSTAR PRO H4	300 / 1000 hr <sup>2)</sup>	H4	4062172150439   4052899476066   4052899413979   4062172150491   4052899413870   4008321785022   4008321785077	No declarable substances contained	No declarable substances contained
TRUCKSTAR PRO H7	1000 hr	H7	4008321855978   4052899476042   4008321785091   4062172150453   4052899413818   4052899413917   4008321855930   4008321855954   4062172150521	No declarable substances contained	No declarable substances contained

<sup>1)</sup> 最大

<sup>2)</sup> 灯丝1

## 产品系列数据表

### 下载数据

文件	
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates HAL
	ref_pim_amsproduct360degreeimages TRUCKSTAR PRO H1 64155TSP
	ref_pim_amsproduct360degreeimages TRUCKSTAR PRO H3 64156TSP
	ref_pim_amsproduct360degreeimages TRUCKSTAR PRO H4 64196TSP
	ref_pim_amsproduct360degreeimages TRUCKSTAR PRO H7 64215TSP

#### 法律建议

Light output compared to the minimum ECE R112 requirements

#### 应用建议

更多详细应用信息和图形,请参阅产品数据表。

#### 免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

