

LEDDriving SL C5W 6418 WHITE

理想车辆的理想升级品



Suitable for various vehicle exterior applications

冷白可供选择



Replaces conventional C5W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for C5W

LEDDriving SL C5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional C5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

产品系列数据表

技术参数

| 产品描述 | 电参数 | | | | 光度数据 |
|-------------------------------|--------|------|------|--------|-------|
| | 功率输入 | 标称电压 | 标称功率 | 测试电压 | 光通量 |
| LEDriving SL \triangleq C5W | 0.8 W | 12 V | 0 W | 13.5 V | 45 lm |
| LEDriving SL \triangleq C5W | 0.75 W | 12 V | 1 W | 13.5 V | 68 lm |

| 产品描述 | 光通量容许偏差 | Physical Attributes & Dimensions | 寿命 | | Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |
|-------------------------------|------------|----------------------------------|-------------|---------|--|
| | | 直径 | Lifespan B3 | 使用寿命 Tc | Primary Article Identifier |
| LEDriving SL \triangleq C5W | $\pm 30\%$ | 11.0 mm | 2500 hr | 5000 hr | 4062172054126 4062172150651 4062172054140 4062172401159 |
| LEDriving SL \triangleq C5W | $\pm 30\%$ | 11.0 mm | 2500 hr | 5000 hr | 4062172421195 |



| 产品描述 | Candidate List Substance 1 | CAS No. of substance 1 | Safe Use Instruction | Declaration No. in SCIP database |
|-------------------------------|----------------------------|------------------------|--|---|
| LEDriving SL \triangleq C5W | Lead | 7439-92-1 | The identification of the Candidate List substance is sufficient to allow safe use of the article. | 95682f27-d6b7-4151-ab69-cba0f44a2086 4f83cbb3-5bb8-46d9-b0d0-90cb2627a962 6697cab8-36c6-4db3-8425-09dae59efdc 10e60bb5-8b39-4d1f-8551-c46ae9a84cdd a95423f8-e9f7-4f9b-91d7-326600bc64dc 8bacbba0-9b26-4b24-82cf-75519f9f5e26 122507a5-f401-4168-bc67-e2333e8a1a33 89d2ab14-22f4-42c2-afca-16d0b8a637b8 4e91a51d-54e6-41cd-aa04-c08cac7661e6 8021f719-e7de-457e-97c8-27fd6614ff14 |

产品系列数据表

| 产品描述 | Candidate List Substance 1 | CAS No. of substance 1 | Safe Use Instruction | Declaration No. in SCIP database |
|-------------------------------|-------------------------------|---------------------------|----------------------|-------------------------------------|
| LEDriving SL \triangleq C5W | | | | In work |

产品系列数据表

下载数据

| 文件 | |
|---|---|
|  | User instruction GPRS_Safety symbols instructions |
|  | Brochures LEDriving Retrofits - Exchange overview (EN) |

安全建议

Canbus compatible Coloured lamps for usage behind coloured glass

法律建议

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。